United States Patent [19]

Esslinger

[11] Patent Number: Des. 318,265

[45] Date of Patent: ** Jul. 16, 1991

| [54] | CONNECTOR FOR A COMPUTER CABLE | | |
|------|--------------------------------|---|--|
| [75] | Inventor: | Hartmut Esslinger, Los Gatos, Calif. | |
| [73] | | NeXT Computer, Inc., Redwood City, Calif. | |
| [**] | Term: | 14 Years | |
| [21] | Appl. No.: | 214,146 | |

| | Filed: 3411, 30, 1988 |
|------|--|
| Ī52Ī | U.S. Cl D13/147 |
| [58] | Field of Search D13/133, 137, 138, 139, |
| [00] | D13/141, 142, 143, 144, 145, 146, 147; 439/76, |
| | 79, 80, 176, 365, 676, 680 |

- 20 1000

[56] References Cited

U.S. PATENT DOCUMENTS

| D. 269,673 | 7/1983 | Johansson et al D13/147 | | |
|------------|---------|-------------------------|--|--|
| D. 275,850 | 10/1984 | Wilson D13/147 | | |
| D. 286,052 | 10/1986 | Peart et al D14/111 | | |
| D. 287,967 | | Gemmell et al D14/100 | | |
| D. 288,434 | | Gemmell D13/11 | | |
| D. 298,121 | 10/1988 | Furuhashi D13/146 | | |
| 4.464,652 | 8/1984 | Lapson et al 340/710 | | |
| 4,728,163 | 2/1988 | Kittinger et al 439/176 | | |
| 4,842,528 | 6/1989 | Frantz 439/80 | | |
| 4,861,276 | 8/1989 | Muller et al 439/365 | | |
| | | | | |

FOREIGN PATENT DOCUMENTS

2166627A 5/1986 United Kingdom .

OTHER PUBLICATIONS

Patton Electronics Co. Catalog 4, 1987, p. 16, Asynchronous Short Range Modem (Model 110). Inmac Computer Accessories Catalog, Apr. 1987, p. 57, Double-Shielded Ultra Cable. Frogdesign hartmut esslinger, inc. *frogart*, 1988.

Primary Examiner—James M. Gandy
Assistant Examiner—Melody Brown
Attorney, Agent, or Firm—Robert R. Jackson; Laurence
S. Rogers; Doreen F. Shulman

57] CLAIM

The ornamental design for a connector for a computer cable, as shown and described.

DESCRIPTION

FIG. 1 is a top, right, front perspective view of a connector for a computer cable showing my new design, it being understood that the broken lines are for illustrative purposes only and form no part of the claimed design;

FIG. 2 is a top plan view thereof;

FIG. 3 is a right side elevational view thereof, the left side being a mirror image of that shown;

FIG. 4 is a front elevational view thereof; and

FIG. 5 is a rear elevational view thereof.







